


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6261



Discount 25%



ORCHIDS

1932

ORCHIDWOOD, INC.

830 PELHAMDALE AVENUE
NEW ROCHELLE, NEW YORK

CABLE ADDRESS
ORCHIDWOOD, NEW ROCHELLE

TELEPHONE
NEW ROCHELLE 1077



The meteoric rise of Orchidwood from an obscure orchid establishment to a leader in its field has been little short of astounding. The latest evidence of leadership is shown in the above picture. This is not Mr. Jewell's palatial living room, but the reception room at Orchidwood. Here you may view orchid plants in comfort equal to that of your own home. This room is luxuriously furnished with an open fireplace at the far end. The French doors at the left lead to the new conservatory pictured on the next page.



Equally amazing as the reception room is the new curved eaved all steel construction conservatory shown above. This greenhouse is the most modern of its kind and is equipped with roller slat shading. It was built to exhibit the choicest of orchid plants and saves the visitor many steps by massing the finest flowers in one place. The planting of this house enables us to show many rare varieties under their natural growing conditions. Inspection of this house alone is worth a trip to Orchidwood.

Foreword



OUR FIRST Catalogue of Orchids has been so well received that we feel encouraged to go ahead with this, our second Catalogue and Price List. In this work we have added many new and interesting varieties, some of which are exclusive to our own establishment.

"ORCHIDWOOD" has grown considerably in the past year through the acquisition of the four large greenhouses formerly owned by David Clarke and Sons, the extension of our old houses from eighty-five feet to one hundred fifty feet, and the construction of a new separate building for our laboratory. We have secured and will continue to acquire the finest stock available, so that the Orchid-buying public may be assured of the high-grade quality of our seedlings.

WE CORDIALLY invite inspection of our establishment, which is one of the most uptodate in America; and we are always glad to show anyone interested in Orchids just what we are doing to advance the culture of these "Aristocrats." We welcome at all times any inquiries regarding the growing of Orchids, and will endeavor to answer promptly all correspondence on this subject.

To THE average layman, Orchids have been more or less of a mystery whose cultural requirements were such as to demand the whole-time attention of a skilled expert, and which required a fortune to purchase even a modest collection. Given moderate attention, the investment of a small sum in good varieties of Orchids will show greater dividends than an equal sum expended in any other kind of plants. Any structure that deserves the name of greenhouse will be suitable for the growing of some species in this large family; yet to derive maximum results from the plants selected, the house should be capable of supplying, approximately, the few needs of its inmates in the matter of light, heat and moisture. These few general hints, which we hope will be of assistance to the beginner, may be supplemented by information given on each genus to be found in the books listed here.

Light. In this Northern latitude, we find that the majority of Orchids need all the light possible in the dull days of Winter. As Spring advances, a light coating of paint mixed with gasolene is necessary to diminish the burning effect of the sun's rays on the glass; and in Summer, an additional coat or two will help to diffuse the strong glare. Weather conditions will usually remove most of this shading by November when the remainder may be washed off. On small houses roller blinds may be used to advantage and, if placed six or so inches above the glass, will allow a free circulation of air over the roof.

Temperature. Remember that too much fire heat is dangerous—err on the safe side. Cattleyas and Laeliocattleyas succeed in a temperature of 60–63° at night, rising by sun heat to 75–80°, during their growing season. Brassocattleyas can benefit by slightly more heat, if such can be given without affecting other plants in the house. Vandas like a warm corner where shading is not very heavy. The majority of miscellaneous species can be grown in much cooler temperature, say 55–60° at night, rising appreciably by day.

Ventilation. Fresh air should be admitted at all times when the weather permits, and the use of bottom ventilators, allowing the air to pass over the warm pipes, is to be commended. A free circulation is encouraged by opening, very slightly, the top vents, being careful not to create a draught.

Potting. Generally speaking, potting is done when the plants resume active growth, which is evident by the pushing of new roots. The medium used—Osmunda fiber—is chopped into pieces suited to the size of the plant; that is, for big plants the fiber can be left in good sized chunks, while it can be pulled into shreds for little seedlings. In potting young plants and those requiring an added rooting stimulus, the addition of Sphagnum is beneficial. When potted, the plants should not have any disturbance of roots until it is necessary to again repot, say in two years. Newly potted plants should be kept on the dry side until established in the fresh compost, only an occasional spraying overhead being necessary.

Moisture. During the growing season, damping the walks and benches may be done four or five times a day, whilst in Winter, twice may be enough. When in full root action, all Orchids can be heavily watered, indeed, a full supply is necessary to secure plump bulbs, the Orchid's reservoir of nourishment. Whilst resting, less water is given, and atmospheric conditions are kept less humid.




Books on Orchids

- AMERICAN ORCHID CULTURE. By *Prof. E. A. White*. The only book written in America for both amateur and professional. Cloth, \$4.50
- THE BOOK OF THE ORCHID. By *W. H. White*. Contains many hints on growing, potting, ventilation, etc. Cloth, \$1.50
- THE ORCHID GROWERS' MANUAL. By *B. S. Williams*. Descriptions of about 2500 species and varieties. Cloth, \$10.00
- SANDER'S ORCHID GUIDE. By *H. F. C. Sander*. Describes all the best known genera and species. Cloth, \$8.00

ORCHIDWOOD, INC.

830 PELHAMDALE AVENUE
NEW ROCHELLE, NEW YORK



*Left—Orchid Seed Germinated
Below—Showing 1-1½ and 2
year old seedlings.*



*Above—Showing 3-4 and 5 year old seedlings.
Right—Six year old plant in bloom.*





B. C. HEATONENSIS
(See page 10)

Brassocattleyas

THESE gorgeous hybrids are becoming more popular each year, and in every collection they are pointed out with pride as being the "elite" members of the group. The wonderful fringe on the lip, inherited from *Brassavola Digbyana*, coupled with the fine colors of the *Cattleya* make a very impressive flower. Our stock of these bigeneric hybrids is very complete, and we hope to still add to it from time to time as our seedlings reach maturity. The plants mentioned below are established representatives having four or five bulbs with one lead.

- | | |
|--|---------|
| B. C. AMERICA (<i>B. C. Mme. C. Maron</i> × <i>C. Cooksoni</i>). One of the same batch of seedlings has won a Gold Medal for excellence at New York Show. Only three plants in stock | \$50.00 |
| B. C. ANDRE MARON (<i>B. C. Mrs. J. Leemann</i> × <i>C. Schroedera</i>). Soft pastel shades, with pleasing fragrance | 30.00 |
| B. C. DR. G. MACDONALD (<i>B. C. Ilene</i> × <i>C. Peetersi</i>). One of the best shaped varieties of <i>Brassocattleya</i> | 35.00 |
| B. C. IMPERATRICE DE RUSSIE (<i>B. Digbyana</i> × <i>C. Mendeli</i>). Light colored flowers of good substance | 25 00 |
| B. C. F. E. DIXON (<i>B. C. Digbyana-Schroedera</i> × <i>C. Dowiana</i>). The well marked lip is a prominent feature | 35.00 |
| B. C. FUSILIER (<i>B. C. Mrs. J. Leemann</i> × <i>C. Hardyana</i>) | 35.00 |



BRASSOCATTLEYA PENELOPE. (*See page 10*)

B. C. HEATONENSIS (<i>B. Digbyana</i> × <i>C. Hardyana</i>). A very useful, free flowering hybrid of good shape. (See illustration, page 8.)	\$20.00
B. C. ILENE (<i>B. C. Mme. C. Maron</i> × <i>C. Dowiana</i>)	30.00
<i>Special Variety</i>	50.00
B. C. JOYCE JEWELL (<i>B. Digbyana</i> × <i>C. Percivaliana</i>). A lovely rose pink with yellow throat	35.00
B. C. MME. C. MARON (<i>B. Digbyana</i> × <i>C. gigas</i>). One of the most popular of all <i>Brassovola</i> hybrids	20.00
B. C. MADELINE (<i>B. C. Mme. C. Maron</i> × <i>C. Trianae</i>). A steady Winter-flowering variety	30.00
B. C. MARGUERITE FOURNIER (<i>B. Digbyana</i> × <i>C. labiata</i>).	20.00
B. C. MRS. J. LEEMANN (<i>B. Digbyana</i> × <i>C. Dowiana</i>). The varying shades of creamy yellow are very pleasing.	20.00
<i>Good Variety</i>	30.00
B. C. NESTOR (<i>B. C. Mme. C. Maron</i> × <i>C. labiata</i>). One of the largest of bigeneric hybrids	20.00
<i>Larger Plants</i>	35.00
B. C. PENELOPE (<i>B. C. Mme. C. Maron</i> × <i>C. Fabia</i>). The influence of <i>C. Fa'ia</i> is seen in the rich coloring.	30.00
<i>Fine Variety</i> .	50.00
B. C. POSSEHLI (<i>B. C. Princess Patricia</i> × <i>C. Hardyana</i>)	35.00
B. C. RUBY (<i>B. C. Mrs. J. Leemann</i> × <i>C. labiata</i>) (var. PEETERSI)	35.00
B. C. SIOUX (<i>B. C. Mrs. J. Leemann</i> × <i>C. Zephyr</i>)	20.00
B. C. SPRINGTIDE (<i>B. C. Mme. C. Maron</i> × <i>C. Mossiae</i>)	25.00
B. C. THORNTONI (<i>B. Digbyana</i> × <i>C. Gaskelliana</i>). A very useful variety of easy culture	20.00
B. C. VEITCHI (<i>B. Digbyana</i> × <i>C. Mossiae</i>). Has well shaped flowers of good color	20.00
B. C. WILLING (<i>B. C. Pocahontas</i> × <i>C. Gaskelliana</i>)	20.00

Brassolaelias

THE free flowering qualities of *Laelia*, coupled with the large fringed lip of the *Brassovola*, give us an extremely satisfactory combination. Their culture is easy; and if a slightly warmer corner can be found at the end of the greenhouse they will repay all the attention bestowed. Plants offered have four or five bulbs with one lead.

B. L. HELEN (<i>B. Digbyana</i> × <i>L. tenebrosa</i>). The variations in color range from creamy white to deep yellow. Exceptionally free flowering, often twice a year	\$15.00
<i>Fine Yellow Variety</i>	35.00
B. L. LOUIS-BEL (<i>B. Digbyana</i> × <i>L. Boothiana</i>)	15.00
B. L. VEITCHI (<i>B. Digbyana</i> × <i>L. purpurata</i>)	15.00

Brassolaeliocattleyas



B. L. C. PRINCE OF WALES

THE influence of *Laelia* in the makeup of these trigeneric hybrids lends a freedom of growth and a brightness of coloring. Although the fringed lip is still the most prominent feature of the beautiful blooms, they retain the depth of color found in *Laeliocattleyas*. Plants mentioned have four or five bulbs with one lead.

- | | |
|---|---------|
| B. L. C. AFTERGLOW (<i>B. C. Thorntoni</i> × <i>L. C. Rover</i>). This new hybrid promises to supersede many of the old varieties | \$30.00 |
| B. L. C. BRITAIN'S KING (<i>B. L. Veitchi</i> × <i>C. Gertrude</i>) | 15.00 |
| B. L. C. FENIMORE (<i>B. L. C. Triune</i> × <i>L. C. Hyeana</i>) | 20.00 |
| B. L. C. HYMEN (<i>B. C. Veitchi</i> × <i>L. C. Hyeana</i>) | 20.00 |
| B. L. C. KENNETH (<i>B. Digbyana</i> × <i>L. C. Wellsiana</i>). One of the heavily-fringed-lip type | 20.00 |
| B. L. C. LADY DIANA (<i>B. L. Veitchi</i> × <i>C. Dowiana</i>). A well-balanced flower of good shape and color | 20.00 |
| B. L. C. METACOMET (<i>B. L. Helen</i> × <i>L. C. Berthe Fournier</i>) | 20.00 |
| B. L. C. PRINCE OF WALES (<i>L. C. Dominiana</i> × <i>B. C. Veitchi</i>). Faintly suffused with pink and purple on petals and sepals. (See illustration above.) | 30.00 |
| B. L. C. ROWENA (<i>B. Digbyana</i> × <i>L. C. Doris</i>) | 25.00 |
| B. L. C. THE BARONESS (<i>B. C. Mrs. J. Leemann</i> × <i>L. C. Ophir</i>). One plant only | 50.00 |



C. SANTA MONICA. (See page 16)

Cattleya Hybrids

THESE form the bulk of almost every collection in America, being in many cases the "bread and butter" to the commercial grower. The almost endless combination of *Cattleya* crossed with *Cattleya* has raised the standard far above the average conception of just "a *Cattleya*." Being all home-raised, their constitutions have adapted themselves to American climatic conditions, and the amateur can look for great success in the growing of the following varieties which have, on the average, four or five bulbs with one lead.

C. ABEKENIAE (<i>Dowiana</i> × <i>Lord Rothschild</i>). The influence of <i>C. Dowiana</i> twice used is evident in the rich coloring of the lip . . .	\$20.00
C. ADELA (<i>Percivaliana</i> × <i>Trianae</i>). A true Winter variety of deep color . . .	20.00
C. ADULA (<i>Bicolor</i> × <i>Hardyana</i>)	15.00
<i>Special Variety</i> . Deep bronze	30.00
C. AMABILIS (<i>labiata</i> × <i>gigas</i>). Free growing type, with strong flower stems	20.00
<i>Good Variety</i>	30.00
C. ARMAINVILLIERENSIS (<i>Mendeli</i> × <i>gigas</i>). Blooming in early Fall, this variety is much in demand	25.00
ALBA	35.00
C. ARDENS (<i>Hardyana</i> × <i>Dupreana</i>)	20.00
C. ANDREW CARNEGIE (<i>Fabia</i> × <i>Sappho</i>)	20.00

C. ARMSTRONGIÆ (<i>Hardyana</i> × <i>Loddigesi</i>)	\$15.00
C. ASHTONI (<i>Harrisoniana</i> × <i>gigas</i>). Flowers slightly smaller, but more in number than the average	15.00
C. ATALANTA (<i>Leopoldi</i> × <i>gigas</i>)	15.00
C. BALLANTINEANA (<i>Trianae</i> × <i>gigas</i>). Large, bold flower of good color and size	25.00
Extra Variety	40.00
C. BELLA SIMPSON (<i>suavior</i> × <i>Trianae</i>)	15.00
C. BERTI (<i>Harrisoniana</i> × <i>labiata</i>)	15.00
C. BLACKI (<i>Gaskelliana</i> × <i>Mendeli</i>)	18.00
C. BOADICEA (<i>Gaskelliana</i> × <i>Hardyana</i>)	20.00
C. COMET (<i>Dowiana</i> × <i>Warneri</i>). One of the best primary hybrids	25.00
Fine Variety. Magnificent deep color throughout	50.00
C. COOKSONI (<i>Hardyana</i> × <i>Trianae</i>). Blooms are much appreciated in late Fall	30.00
C. CYBELE (<i>Gaskelliana</i> × <i>Lueddemanniana</i>). Round flowers with fine petals.	20.00
ALBA. Pure white; June to July	50.00
C. DIONYSIUS (<i>Fabia</i> × <i>gigas</i>). Its fine form attracts attention everywhere it is seen	35.00
ALBA	20.00
C. DONALD MACKENZIE (<i>Hardyana</i> × <i>Miss Williams</i>)	20.00
C. DUBIOSA (<i>Harrisoniana</i> × <i>Trianae</i>)	15.00
C. ELEANOR GRAY (<i>Dowiana</i> × <i>Marriottiana</i>)	20.00
C. ELEANORE (<i>Hardyana</i> × <i>gigas</i>)	20.00
ALBA. Greatly resembles <i>Laeliocattleya Schroederæ</i>	35.00
C. EMPRESS FREDERICK (<i>Dowiana</i> × <i>Mossiae</i>). Well-balanced flower of good size	35.00
C. ENID (<i>Mossiae</i> × <i>gigas</i>). One of the largest of hybrid Cattleyas, whose flowers always command good prices	20.00
Good Variety	35.00
FINE VARIETY	50.00
C. FABIA (<i>Dowiana</i> × <i>labiata</i>). We have some exceptionally fine speci- mens of this popular variety	18.00
Good Variety. Dark	25.00
SPECIMEN PLANTS—3 to 4 leads	40.00
C. FLORA MACDONALD (<i>Fabia</i> × <i>Boadicea</i>)	20.00
C. FREYA (<i>Dowiana</i> × <i>Mantini</i>)	15.00
C. GAY GORDON (<i>Hardyana</i> × <i>Van Houtte</i>)	25.00
Good Variety	50.00

C. GENERAL PULTENEY (<i>Octave Doin</i> × <i>Trianae</i>). A great improvement over the species when Winter hybrids are in demand . . .	\$20.00
C. GILDENI (<i>Hardyana</i> × <i>Maggie Raphael</i>). A very consistent Fall bloomer . . .	25.00
C. GLADYS (<i>Atalanta</i> × <i>Dowiana</i>). Well-shaped flowers in lovely pastel shades	20.00
<i>Good Variety</i>	35.00
C. GUDRUN (<i>labiata</i> × <i>Mendeli</i>)	25.00
C. HARDYANA (<i>Dowiana</i> × <i>gigas</i>). Our stock of this variety is probably the finest in the country	15.00
<i>Good Variety</i>	25.00
ALBA	30.00
C. HAROLD (<i>Gaskelliana</i> × <i>gigas</i>). An extremely prolific bloomer; some of our plants have four and five leads, and give ten or more flowers	20.00
<i>Special Variety</i>	30.00
C. HENTSCHELLI (<i>Dupreana</i> × <i>gigas</i>). Having twice <i>C. gigas</i> in its makeup, its flowers are of good size	20.00
C. H. S. LEON (<i>Schroedera</i> × <i>gigas</i>). The soft shades of <i>C. Schroederae</i> are perpetuated in this fine hybrid. Fall variety	20.00
C. INTERTEXTA (<i>Mossiae</i> × <i>Warneri</i>)	18.00
ALBA	35.00
C. IRIS (<i>bicolor</i> × <i>Dowiana</i>)	15.00
C. JOHN KNOX (<i>Dupreana</i> × <i>Mendeli</i>)	20.00
C. JUCUNDA (<i>labiata</i> × <i>Schroederae</i>)	15.00
C. JULIENNE (<i>Mendeli</i> × <i>Skinneri</i>)	15.00
C. KATADIN (<i>Empress Frederick</i> × <i>Lueddemanniana</i>). Seedlings of this American hybrid have shown a wonderful depth of color . . .	25.00
<i>Good Variety</i>	35.00
C. KENSICO (<i>Enid</i> × <i>Zephyr</i>)	20.00
C. KIENASTIANA (<i>Dowiana</i> × <i>Lueddemanniana</i>). Well-formed flowers of good substance	20.00
C. LADY EVELYN (<i>Atalanta</i> × <i>Hardyana</i>)	15.00
C. LEDA (<i>Dowiana</i> × <i>Percivaliana</i>). Our collection embraces some of the finest forms of this variety	30.00
<i>Fine Variety</i>	50.00
C. LEDIATA (<i>labiata</i> × <i>Leda</i>)	20.00
C. LIEUTENANT COPPENS (<i>Dowiana</i> × <i>Undine</i>). Of good color and fine shape	20.00
C. LORD DERBY (<i>labiata</i> × <i>Percivaliana</i>). The golden throat is transmitted to this well-formed hybrid	15.00
C. LORD ROTHSCHILD (<i>Dowiana</i> × <i>Gaskelliana</i>). An old favorite which still holds a high position	18.00

C. LUEGEÆ (<i>Enid</i> × <i>Dowiana</i>). Combines the fine shape of one parent with the coloring of the other. In every way a desirable variety.	\$25.00
C. MAGDALENA LOWE (<i>Dowiana</i> × <i>Prince Edward</i>)	18.00
C. MAGGIE RAPHAEL (<i>Dowiana</i> × <i>Triana</i>). With its alba forms, this is one of the best commercial varieties	20.00
<i>Good Variety</i>	35.00
C. MALCOLM CANMORE (<i>armainvillierensis</i> × <i>Lueddemanniana</i>)	20.00
C. MANTINI (<i>Bowringiana</i> × <i>Dowiana</i>)	15.00
<i>Specimen Plant</i>	25.00
C. MISS KEMP (<i>Bowringiana</i> × <i>Fabia</i>). Has spikes of deep colored flowers.	15.00
C. MISS M. ARMSTRONG (<i>Dowiana</i> × <i>Helen Langley</i>).	18.00
C. MISS WILLIAMS (<i>Gaskelliana</i> × <i>Harrisoniana</i>)	15.00
C. MOIRA (<i>Fabia</i> × <i>Mantini</i>)	18.00
C. MOUNT ROYAL (<i>Enid</i> × <i>Maggie Raphael</i>)	20.00
<i>Fine Variety</i>	50.00
C. MRS. ELIZABETH PETERSON (<i>Empress Frederick</i> × <i>Zephyr</i>). Has lovely gold veining in the throat, with fine form	20.00
C. MRS. EDWARD ROEHRs (<i>A. Dimmock</i> × <i>Triana</i>)	30.00
C. MRS. MYRA PEETERS (<i>Gaskelliana alba</i> × <i>Warneri alba</i>). A June variety; pure white flowers	50.00
C. MRS. PITT (<i>Dowiana</i> × <i>Harrisoniana</i>)	18.00
C. MRS. STEWART POOL (<i>Fabia</i> × <i>Moira</i>)	20.00
C. OCTAVE DOIN (<i>Dowiana</i> × <i>Mendeli</i>)	25.00
C. PEETERSI (<i>Hardyana</i> × <i>labiata</i>). Among the best of the Fall blooming varieties	20.00
C. PERCIMAX (<i>Maxima</i> × <i>Percivaliana</i>). In coloring, this hybrid leans towards <i>C. Maxima</i> , with blooming period favoring the other parent	10.00
C. PITTIANA (<i>Dowiana</i> × <i>granulosa</i>). Fair-sized flowers of good shape .	15.00
C. PORTIA (<i>labiata</i> × <i>Bowringiana</i>). Flowers are intermediate in size between those of its parents	15.00
<i>Specimen Plant</i>	30.00
C. PRESIDENT WILSON (<i>Fabia</i> × <i>labiata</i>)	20.00
ALBA	30.00
C. PRETORIA (<i>Dowiana</i> × <i>Peetersi</i>). The fine form of <i>C. Peetersi</i> plus the added color of <i>C. Dowiana</i> produces an excellent flower.	20.00
<i>Good Variety</i> (See illustration, page 16.)	35.00
C. PRINCE JOHN (<i>Dowiana</i> × <i>Hardyana</i>). The influence of twice used <i>C. Dowiana</i> has given splendid coloring	20.00
C. PRINCESS ROYAL (<i>Fabia</i> × <i>Hardyana</i>)	25.00



C. PRETORIA
(See page 15)

C. QUIBO (<i>Dowiana</i> × <i>Miss Williams</i>). Some of these have a lovely mauve sheen on the petals and sepals	\$15.00
<i>Good Variety</i>	25.00
C. RHODA (<i>Hardyana</i> × <i>Iris</i>)	18.00
<i>Good Variety</i> . Full lip	30.00
C. ROBERT BRUCE (<i>Dowiana</i> × <i>suavior</i>)	15.00
C. ROEHRSIANA (<i>Hardyana</i> × <i>Mendeli</i>). Large flowers on a fine, long stem	30.00
C. SANTA MONICA (<i>Mendeli</i> × <i>Lord Rothschild</i>). Good shape and color. Fall variety. (See illustration, page 12.)	20.00
C. SHENANDIA (<i>Lueddemanniana</i> × <i>Zephyr</i>). Of recent introduction; a fine addition to our list	25.00
C. SHINJIK (<i>maxima</i> × <i>Trianæ</i>)	10.00
C. SIR WALTER SCOTT (<i>Harold</i> × <i>gigas</i>)	18.00
C. SUAVIOR (<i>intermedia</i> × <i>Mendeli</i>)	15.00
<i>Trilobed Splashed</i>	100.00



C. TRICLOTHO

C. SYLVIA (<i>Dowiana</i> × <i>Fabia</i>). An improvement over <i>C. Fabia</i> in richness of color, but of less robust constitution.	\$20.00
ALBA	35.00
C. THOMAS C. KIRKWOOD (<i>gigas</i> × <i>Princess Royal</i>)	25.00
C. TITYUS (<i>Enid</i> × <i>Octave Doin</i>)	20.00
Good Variety	30.00
C. TRICLOTHO (<i>Clotho</i> × <i>Trianae</i>).	25.00
Fine Variety (See illustration above.)	50.00
C. TRIMOS (<i>Trianae</i> × <i>Mossie</i>)	20.00
C. TRIUMPHANS (<i>Dowiana</i> × <i>Rex</i>). Yellow petals and sepals	35.00
C. VAN HOUTTE (<i>Lord Rothschild</i> × <i>gigas</i>). Splendid commercial variety	20.00
Good Variety	35.00
C. VENUS (<i>Dowiana</i> × <i>Iris</i>)	15.00
Full lip, bronze petals and sepals	25.00
Full lip, yellow petals and sepals	35.00
C. VERIFLORA (<i>labiata</i> × <i>Trianae</i>)	20.00
C. VESTALIS (<i>Dowiana</i> × <i>maxima</i>). Shows very plainly the influence of <i>C. maxima</i> in coloring	15.00
C. WENDLANDIANA (<i>Bowringiana</i> × <i>gigas</i>)	15.00
C. WILLIAM WALLACE (<i>Dowiana</i> × <i>Hassilli</i>)	25.00
C. ZEPHYR (<i>Dowiana</i> × <i>Schroederæ</i>). Lovely pale flowers with delicate fragrance.	15.00
Good Variety	30.00



L. C. MRS. HAROLD LLOYD. (See page 23)

Laeliocattleyas

THIS group of bigeneric hybrids gives a wonderful brilliance of color, the lip especially showing to good advantage. They are distinguished in the way the flowers are held above the foliage, and their free manner of growth. The hybridist's art has produced varieties that will give almost year-round succession of bloom, and most of them can be depended on to flower on every growth. These plants have four or five bulbs with one lead, and we shall be glad to quote you on larger specimens.

The illustration above shows an ideal type of this group. The shape is nearly perfect, the coloring is rich throughout, and the texture is such as to assure a long lasting flower.

	<i>Each</i>
L. C. ABBOTSFORD (<i>L. C. Doms</i> × <i>C. Mossia</i>)	\$20.00
<i>Good Variety</i>	30.00
L. C. A. C. BURRAGE (<i>L. C. Herscentia</i> × <i>C. Dowiana</i>). The variations range from white petals and sepals to deepest rose	20.00
<i>Special Variety</i>	30.00
L. C. ANDROMEDA (<i>C. Dowiana</i> × <i>L. flava</i>)	25.00
L. C. ANTIMACHUS (<i>C. gigas</i> × <i>L. C. Dominiana</i>).	20.00



LAELIOCATTELEYA F. G. SEALEY. (See page 21)

- L. C. APHRODITE (*C. Mendeli* \times *L. purpurata*). We have some very distinct forms of this fine hybrid \$15.00
Special Variety 30.00
- L. C. ARRAN (*L. C. Australia* \times *C. Gaskelliana*) 15.00
- L. C. ARRAS (*C. Mossiae* \times *L. C. Aphrodite*). The addition of *C. Mossiae* makes a slightly fuller flower. 20.00
- L. C. ARTURO (*L. C. Hyeana* \times *C. gigas*). A strong growing variety with deep color 20.00
- L. C. ATAWOOD (*C. Atalanta* \times *L. C. Geo. Woodhams*) 18.00
Specimen Plant 30.00
- L. C. ATHENE (*L. C. callistoglossa* \times *L. C. St. Gothard*). Good sized flowers showing a tendency to favor either parent 25.00
Good Variety 50.00

L. C. AUTODOIN (<i>C. Octave Doin</i> × <i>L. autumnalis</i>). Long-stemmed spray in early Winter	\$15.00
L. C. BARBAROSSA (<i>C. Trianae</i> × <i>L. C. callistoglossa</i>). Fall blooming, has very deep color in the lip	20.00
Good Variety	30.00
L. C. BASIL (<i>C. Mantini</i> × <i>L. C. callistoglossa</i>). A strong grower with dark flowers	18.00
L. C. BEATRICE (<i>C. Schroederæ</i> × <i>L. C. callistoglossa</i>). <i>C. Schroederæ</i> imparts a softness of color to all its progeny	18.00
L. C. BELLA (<i>C. labiata</i> × <i>L. purpurata</i>). A favorite Winter variety	20.00
L. C. BEPPO (<i>L. C. Alex</i> × <i>C. Syros</i>)	20.00
Good Variety	35.00
SPECIAL VARIETY	50.00
L. C. BLACK PRINCE (<i>C. Hardyana</i> × <i>L. C. blechleyensis</i>)	18.00
L. C. BLANCHE (<i>C. Helen Langley</i> × <i>L. flava</i>)	18.00
L. C. BLECHLEYENSIS (<i>C. gigas</i> × <i>L. tenebrosa</i>). Many have a lovely bronze tint in petals and sepals	15.00
Fine Variety	30.00
L. C. BRITANNIA (<i>C. gigas</i> × <i>L. C. Canhamiana</i>). A useful flower of fine size	20.00
Specimen Plant	35.00
L. C. CALLISTOGLOSSA (<i>C. gigas</i> × <i>L. purpurata</i>). This primary hybrid has proved a splendid subject for the hybridist	20.00
Specimen Plant	35.00
L. C. CAMERONIAN (<i>L. C. Dominiana</i> × <i>C. Princess Royal</i>).	15.00
Good Variety	30.00
L. C. CANHAMIANA (<i>C. Mossia</i> × <i>L. purpurata</i>). One of the best June flowering varieties we have	20.00
Specimen Plant	35.00
L. C. CAPRICE (<i>L. C. G. S. Ball</i> × <i>C. intertexta</i>)	15.00
L. C. CARMENCITA (<i>C. Dowiana</i> × <i>L. C. luminosa</i>). Petals and sepals range from clear yellow to deep bronze	25.00
Special Variety	50.00
L. C. COLMANIANA (<i>C. Dowiana</i> × <i>L. C. callistoglossa</i>).	25.00
L. C. CORTINA (<i>C. Empress Frederick</i> × <i>L. C. callistoglossa</i>). Inherits much of its parents' deep coloring	20.00
L. C. CREOLE (<i>C. gigas</i> × <i>L. C. luminosa</i>)	25.00
L. C. DECIA (<i>C. Dowiana</i> × <i>L. Perrini</i>). A very free blooming variety	20.00
L. C. DELIGHT (<i>L. C. luminosa</i> × <i>L. C. Golden Oriole</i>). A fine addition to the ranks of golden colored varieties	25.00
L. C. DOMINIANA (<i>C. Dowiana</i> × <i>L. purpurata</i>). Although introduced in 1899, is still as popular as ever	20.00



LAELIOCATTLEYA FASCINATOR

L. C. DR. R. SCHIFFMAN (<i>C. Mendeli</i> × <i>L. C. callistoglossa</i>)	\$18.00
L. C. DUVALIANA (<i>C. Lueddemanniana</i> × <i>L. purpurata</i>)	25.00
L. C. ETTRICK (<i>C. Dowiana</i> × <i>L. C. blechleyensis</i>)	35.00
L. C. ELEGANS (<i>C. Leopoldi</i> × <i>L. purpurata</i>)	15.00
Specimen Plants	30.00
L. C. EVA BALDWIN (<i>L. C. Dominiana</i> × <i>C. Percivaliana</i>)	20.00
L. C. EXIMIA (<i>C. Warneri</i> × <i>L. purpurata</i>). Very free blooming. Where a number are grown, it is found that a few flowers can be cut at all times of the year	18.00
L. C. FASCINATOR (<i>C. Schroederae</i> × <i>L. purpurata</i>). We have over 800 plants of this variety alone. It has a very free blooming habit and holds the blooms well above the foliage. (See illustration above.) Light variety	15.00
Dark Lip Variety	25.00
SPECIMEN PLANTS	\$40.00 to 50.00
L. C. F. G. SEALEY (<i>L. cinnabarina</i> × <i>C. Empress Frederick</i>). (See illus- tration, page 19.)	25.00
L. C. F. L. WURZBURG (<i>C. Leda</i> × <i>L. C. E. B. Dane</i>)	35.00
L. C. G. G. WHITELEGGE (<i>C. Hardyana</i> × <i>L. C. callistoglossa</i>)	20.00

L. C. GLADIATOR (<i>C. Mossiæ</i> × <i>L. C. callistoglossa</i>). Makes a splendid plant for effective staging	\$18.00
<i>Good Variety</i>	30.00
L. C. GRISETTE (<i>L. C. eximia</i> × <i>L. C. Golden Oriole</i>). Many have lovely bronze tints. Time of flowering is variable	15.00
<i>Yellow Variety</i>	30.00
L. C. HIPPOLYTA (<i>C. Mossiæ</i> × <i>L. cinnabarina</i>). The distinctive coloring is much appreciated	25.00
L. C. HON. MRS. ASTOR (<i>C. Gaskelliana</i> × <i>L. xanthina</i>)	18.00
L. C. HYEANA (<i>C. Lawrenceana</i> × <i>L. purpurata</i>)	18.00
L. C. ISFIELD (<i>C. gigas</i> × <i>L. Pacavia</i>)	18.00
L. C. IVANHOE (<i>C. Dowiana</i> × <i>L. C. eximia</i>). A good type of flower with lasting qualities	20.00
L. C. JACQUINETTA (<i>C. Empress Frederick</i> × <i>L. C. Lustre</i>)	30.00
<i>Good Variety</i>	50.00
L. C. JAS. GOODIER (<i>L. C. Canhamiana</i> × <i>C. Empress Frederick</i>). This newer origination is a happy combination of size and shape; many have exceptional coloring	20.00
<i>Good Dark Variety</i>	35.00
L. C. JOSEPHINE (<i>C. Triana</i> × <i>L. crispa</i>)	20.00
L. C. KATHLEEN GREY (<i>L. C. Canhamiana</i> × <i>L. tenebrosa</i>)	18.00
L. C. LAMORNA (<i>C. Hardyana</i> × <i>L. C. Dominiana</i>). Inclines more to the latter mentioned parent	18.00
L. C. LILLIAN M. STEVENS (<i>L. C. Carmencita</i> × <i>C. Percivaliana</i>)	20.00
L. C. LUMINOSA (<i>C. Dowiana</i> × <i>L. tenebrosa</i>)	25.00
AUREA. Fine variety	50.00
L. C. MARGARET KIRKWOOD (<i>L. C. Alex</i> × <i>C. Maggie Raphael</i>)	25.00
L. C. MARY CROWE (<i>L. C. C. G. Roebeling</i> × <i>C. Lueddemanniana</i>)	18.00
L. C. MARTINETI (<i>C. Mossiæ</i> × <i>L. tenebrosa</i>). The modified tenebrosa color shows to good advantage	20.00
<i>Good Bronze Variety</i>	35.00
L. C. MASSASOIT (<i>L. C. Nella</i> × <i>C. Hardyana Ruby</i>). The whole flower is of lovely, deep color	15.00
<i>Extra Dark Variety</i>	30.00
L. C. MEMORIA H. A. TRACY (<i>C. Hardyana</i> × <i>L. C. Canhamiana</i>). A very good commercial variety	20.00
ALBA	30.00
L. C. MILO (<i>C. Mossiæ</i> × <i>L. C. Hyeana</i>). Some forms of this fine variety are very distinct	18.00
<i>Extra Dark Variety</i>	25.00
L. C. MISS DOROTHY BUSHNELL (<i>C. Dowiana</i> × <i>L. C. Bryan</i>)	20.00

L. C. MOSSEMILIANA (<i>C. labiata</i> × <i>L. C. bletchleyensis</i>)	\$20.00
L. C. MRS. HAROLD LLOYD (<i>L. C. Aphrodite</i> × <i>C. Van Houtte</i>). Introduced in 1928, this has proved of wonderful merit	20.00
Larger Plants	35.00
Good Variety	50.00
ORCHIDWOOD VARIETY. (See illustration, page 18.)	100.00
L. C. MRS. M. A. HOUSE (<i>L. C. Golden Oriole</i> × <i>C. Hardyana</i>)	20.00
Good Variety. Yellow petals and sepals, with a beautiful deep lip	35.00
L. C. MRS. REGINALD BRADE (<i>C. Schroederae</i> × <i>L. C. Aphrodite</i>)	18.00
L. C. MYRA (<i>C. Trianae</i> × <i>L. flava</i>)	25.00
Special Variety	35.00
L. C. NELLA (<i>C. labiata</i> × <i>L. C. Dominiana</i>). A good Fall flowering variety	20.00
L. C. NOMAD (<i>L. C. brugensis</i> × <i>C. Dupreana</i>)	20.00
L. C. NYSA (<i>C. gigas</i> × <i>L. crispa</i>)	15.00
L. C. OSPREY (<i>C. Dowiana</i> × <i>L. C. Aphrodite</i>)	18.00
L. C. PAGE PLATT (<i>L. C. Appam</i> × <i>C. Hardyana</i>)	20.00
L. C. PALLAS (<i>C. Dowiana</i> × <i>L. crispa</i>)	15.00
Specimen Plant	25.00
L. C. PATHAN (<i>C. Dowiana</i> × <i>L. C. Dominiana</i>)	18.00
L. C. PHOENIX (<i>C. Dowiana</i> × <i>L. C. Henry Greenwood</i>). Very well balanced flower, having fine color	25.00
L. C. PORTITA (<i>L. C. callistoglossa</i> × <i>C. Portia</i>). Slightly larger than <i>C. Portia</i> , and of similar growth	20.00
L. C. QUEENIE (<i>L. C. C. G. Roebling</i> × <i>L. C. Dominiana</i>)	18.00
L. C. RABEIANA (<i>C. Dupreana</i> × <i>L. C. purpurata</i>)	20.00
L. C. RAMSCAPELLE (<i>C. Dowiana</i> × <i>L. C. Hyeana</i>). The extra dark lip is a strong feature	20.00
L. C. REDSKIN (<i>L. C. luminosa</i> × <i>C. Empress Frederick</i>). The tawny tones predominating suggest the original American	25.00
Good Variety	50.00
SPECIAL YELLOW VARIETY	100.00
L. C. ROBINA (<i>C. Dowiana</i> × <i>L. C. Robin Measures</i>)	18.00
L. C. ROGER SANDER (<i>C. Mossie</i> × <i>L. C. luminosa</i>). Many are of bronze tint	30.00
L. C. ROSARITA (<i>L. C. Hyeana</i> × <i>C. Hardyana</i>). A dark variety; flowers at a time when such are scarce	20.00
L. C. ROSALIND (<i>C. Trianae</i> × <i>L. C. Dominiana</i>)	20.00
L. C. S. A. SALVAGE (<i>C. Gaskelliana</i> × <i>L. C. Dominiana</i>)	30.00

L. C. SCARSDALE (<i>L. C. Elsa</i> × <i>C. Trianae</i>)	\$20.00
L. C. SCHROEDERÆ (<i>C. Maggie Raphael</i> var. <i>alba</i> × <i>L. C. bella</i> var. <i>alba</i>)	50.00
L. C. SECAUCUS (<i>L. C. Rutherford</i> × <i>C. Dowiana</i>)	20.00
L. C. S. O. STEVENSON (<i>C. Empress Frederick</i> × <i>L. purpurata</i>). Fine bold flower of good shape	18.00
Specimen Plants	35.00
L. C. SOULANGE (<i>C. Dowiana</i> × <i>L. C. Lustre</i>)	35.00
Good Variety	50.00
L. C. ST. GEORGE (<i>C. Fabia</i> × <i>L. C. St. Gotthard</i>)	30.00
L. C. THYONE (<i>C. Dowiana</i> × <i>L. C. Ophir</i>)	35.00
L. C. TUCKAHOE (<i>L. C. Linda</i> × <i>C. Mossiæ</i>)	20.00
L. C. WHITINIAE (<i>C. Harrisonianna</i> × <i>L. purpurata</i>)	15.00
L. C. WEEHAWKEN (<i>L. C. Ernest B. Dane</i> × <i>C. Dowiana</i>). This American origination has not been widely distributed yet. Our stock contains many fine forms	30.00
L. C. WELLESLEYI (<i>C. gigas</i> × <i>L. C. Martineti</i>). Out of this batch has come a Gold Medal winner. We have flowered many wonderful forms	25.00
Good Variety	50.00
var. EDWARD H. ROEHRS	100.00
var. ORCHIDWOOD	250.00



Sophrolaeliocattleyas

IN THESE trigeneric hybrids an added shade of color derived from the little red *Sophrontitis Grandiflora* has been introduced by the Orchid hybridist. Although slightly smaller than the average *Cattleya* hybrid, this lack of great size is more than compensated by the brilliancy of color.

S. L. C. BALDWINI (<i>C. gigas</i> × <i>S. L. C. Meuse</i>)	\$25.00
S. L. C. MRS. GEORGE BALDWIN (<i>L. purpurata</i> × <i>S. L. C. Meuse</i>)	20.00
Good Variety	35.00



Cattleya Species

ORIGINALLY obtained from their native habitat, the woods of certain Central and South American countries, these species formed the limits of many commercial establishments in this country. With the introduction of Quarantine No. 37, there has been no great addition to the stock grown here, except through propagation by division, and many of these fine species are exceedingly scarce. Our stock is very representative and embraces many worthy specimens of this genus. Healthy plants of four and five bulbs, with one lead, are quoted here.

C. BOWRINGIANA. Has lovely spikes of over a dozen flowers in Fall.	\$10.00
C. DOWIANA AUREA	30.00
C. GASKELLIANA. A favorite where flowers are desired in Summer . .	15.00
C. GIGAS. Largest of the Cattleya species	15.00
<i>Special Variety</i>	25.00
FRAU MELANIE BEYRODT. White petals and sepals, deep purple lip. Has made many fine white petalled hybrids	35.00
C. HARRISONIANA (Summer). Lilac rose color	12.00
C. INTERMEDIA (Summer). Pale rose color	12.00
C. LABIATA. As a parent, has produced many fine Fall flowering hybrids .	10.00
<i>Good Variety</i>	25.00
C. LUEDDEMANNIANA. Large, bold flowers often twice a year. \$15.00 to	25.00
C. MENDELI. Large, well-shaped flowers in Spring	18.00
C. MOSSIE. In various shades, from white to deep rose	15.00
<i>Good Variety</i>	25.00
FINE VARIETY	50.00
var. MRS. J. T. BUTTERWORTH. Known as the World's finest Mossie	Price on application
C. PERCIVALIANA. Rather smaller than the average Cattleya, but blooming at Thanksgiving, is much appreciated	15.00
<i>Good Variety</i>	25.00
C. SCHROEDERÆ. Delicate pale color with lovely fragrance	15.00
C. SKINNERI (Spring). Rose purple	12.00
C. TRIANÆ. Our stock of this fine Winter flowering species is very complete	10.00
<i>Good Variety</i>	20.00
<i>Distinct Variety</i>	25.00
BACKHOUSEANA	30.00
ALBA	30.00
<i>Fine Variety</i>	100.00
A. C. BURRAGE	100.00
MRS. A. COOLEY	50.00
MRS. C. MOORE	50.00
THE PREMIER	75.00

Cymbidium

OUR stock of Cymbidium species and hybrids is very comprehensive, those listed representing only a part of the numerous varieties on hand. We are constantly adding to this assortment any of the new or fine varieties available here or abroad. Quotations on any size plant will be freely submitted upon request, prices ranging from \$15.00 for plants of two or three bulbs up to \$100.00 for specimens and fine varieties.

<i>Species</i>	<i>Native of</i>	
ALIOFOLIUM	Burma	\$15.00
INSIGNE	Annam	\$20.00 to 30.00
LOWIANUM	Burma. (See illustration, page 27.) . . .	15.00 to 35.00
TRACYANUM	Burma	15.00 to 25.00

HYBRIDS

ALEXANDERI (*eburneo-Lowianum* × *insigne Sanderi*).
 BUTTERFLY (*insigne Sanderi* × *Lowianum-grandiflorum*)
 CAPELLA (*Pauwelsi* × *Wigianium*)
 CASTOR (*insigne Sanderi* × *Woodhamsianum*)
 ERICA (*grandiflora* × *Pauwelsi*)
 EGRET (*Gottianum* × *Pauwelsi*)
 ERIN (*grandiflorum* × *gattონense*)
 GOTTIANUM (*eburneum* × *insigne*)
 HANBURYANUM (*erythrostylum* × *Tracyanum*)
 LOWIO-SCHROEDERÆ (*Lowianum* × *Schroederae*)
 MOIRA (*Pauwelsi* × *Tracyanum*)
 PAUWELSI (*insigne Sanderi* × *Lowianum*)
 SCHLEGELI (*insigne Sanderi* × *Wigianium*)
 SYBIL (*eburneum* × *Pauwelsi*)

Cypripedium

THESE are popular known as the "Lady Slipper" Orchid, and are amongst the easiest Orchids to grow. They propagate easily by division, and last a very long time in flower.

CYPRIPEDIUM HARRISIANUM	\$5.00
<i>Larger Plants</i>	10.00
CYPRIPEDIUM LAWRENCEANUM	8.00
<i>Larger Plants</i>	10.00
CYPRIPEDIUM MAUDLÆ	7.50
<i>Larger Plants</i>	15.00
SELENEPEDIUM GRANDE	8.00
SELENEPEDIUM SCHROEDERÆ	8.00
SELENEPEDIUM SEDENI	8.00



CYMBIDIUM LOWIANUM. (*See page 26*)



LAELIA ANCEPS

Laelia Species

CLOSELY related to the Cattleya family, requiring similar cultural treatment, and of very free flowering habit. They have eight, instead of the usual four, pollen masses, which constitutes the main division between Cattleya and Laelia.

- | | |
|---|---------|
| L. ANCEPS. We have some very good forms of Alba, Sanderiana, Schroederia, etc., all of which flower in Winter (See illustration above.) | \$10.00 |
| Good Variety | 15.00 |
| L. CRISPA (Brazil). Summer | 10.00 |
| L. GOULDIANA. The Christmas flower of bright rose purple | 12.00 |
| L. PURPURATA. Whose influence has been felt through almost the entire range of Laeliocattleyas. A strong growing plant of easy culture. | 12.00 |
| Specimen Plants | 25.00 |
| L. TENEBROSA. Bronze petals and sepals | 12.00 |

Sundries

- | | |
|---|-------------------------|
| FRESH OSMUNDA FIBER | per sack, \$3.50 |
| FRESH OSMUNDA FIBER—Picked, ready for potting | per sack, 5.00 |
| LIVE SPHAGNUM MOSS | per sack, 3.50 |
| WIRE HANGERS, 18 inches long | per dozen, single, 2.00 |
| WIRE HANGERS, 18 inches long | per dozen, double, 2.50 |
| CELLULOID LABELS, 4 inches long | per 100, 4.00 |



DENDROBIUM NOBILE

Miscellaneous Species

VERY interesting Collections of these species can be built up for a small sum. The flowers are not so showy as the Cattleyas, but their lasting qualities make them invaluable for display in the conservatory.

ANGRÆCUM EBURNEUM (Spring) . . \$25.00

BRASSAVOLA DIGBYANA. A tough, leathery-looking species from the forests of Honduras, revels in plenty of heat, with a little shade. (Summer) 25.00

BRASSIA BRACHIATA . . . \$5.00 to 10.00

BRASSIA VERRUCOSA. Greenish flowers, spotted with purple. (Spring) . . 5.00

BULBOPHYLLUM CAREYANUM (Summer) 10.00

COELOGYNE CRISTATA. Lovely sprays of white flowers in early Spring . 10.00
Large Plants 15.00

COELOGYNE DAYANA. Long chains of yellow and brown flowers. Spring. 7.50

DENDROBIUM BRYMERIANUM—6 bulbs, 1 lead 15.00

DENDROBIUM CHRYSOTOXUM. Sprays of golden yellow blooms. (Spring) . 8.00

DENDROBIUM FIMBRIATUM (Spring) 10.00

DENDROBIUM MOSCHATUM (Late Spring) 7.50

DENDROBIUM NOBILE. A most useful Orchid, having many clusters of showy flowers in early Spring 8.00

DENDROBIUM PHALAENOPSIS. With terminal spikes of rose colored flowers. (Fall) 10.00

DENDROBIUM THYRSIFLORUM. Long drooping sprays of gold and white. (Spring) 8.00

EPIDENDRUM CILIARE (Summer) 5.00

EPIDENDRUM COCHLEATUM (Summer) 10.00

EPIDENDRUM PRISMATOCARPUM. Long, lasting flowers of yellow, blotched with purple. The Rainbow Orchid (Summer) 10.00

EPIDENDRUM VITELLINUM. A deep red spray (Fall) 10.00

MILTONIA VEXILLARIA (Spring) 8.00

MILTONIA ST. ANDRE (Spring) 10.00

ODONTOGLOSSUM BICTONIENSE. Has spikes often 18 inches long, of a lovely combination of rose and yellow green (Winter) 10.00

ODONTOGLOSSUM CITROSMUM. Pendulous sprays of 15-20 flowers (Spring).	\$10.00
ODONTOGLOSSUM PULCHELLUM. The "Lily of the Valley" Orchid. Fragrant flowers of pure white (Winter)	7.50
ONCIDIUM ALTISSIMUM. Long sprays, 3-4 feet, of yellow, blotched with brown (Spring)	10.00
ONCIDIUM FLEXUOSUM. Dainty little yellow flowers. (Late Summer)	8.00
ONCIDIUM LURIDUM. Long sprays, 4-5 feet, of brownish-purple flowers. (Spring)	10.00
ONCIDIUM ORNITHORHYNCHUM. Resembles a flight of birds in the flower formation (Winter)	10.00
ONCIDIUM SPLENDIDUM. One of the most useful of spray Orchids (Winter)	8.00
ONCIDIUM TIGRINUM (Winter)	10.00
ONCIDIUM VARICOSUM ROGERSI. Large sprays of fair-sized, yellow flowers. (Winter)	8.00
ONCIDIUM WENTWORTHIANUM (Summer)	5.00
PLATYCLINIUS GLUMACEA (Spring)	8.00
SOBRALIA MACRANTHA. The reed-like stems and leaves are quite decorative; flowers resemble Cattleyas (Summer)	5.00
VANDA TERES. With its hybrid, Miss Joachim, whose large, rose-colored flowers find a ready market (Spring and Fall).	8.00
ZYGOPETALUM DISCOLOR (Spring)	5.00
ZYGOPETALUM MACKAYI (Late Fall)	\$10.00 to 20.00



This beautiful trophy was awarded us at the 2nd National Atlantic City Flower and Garden Pageant, September 7, 1931, as first prize for the showing of a group of the 12 best orchids. It was donated by the Marlborough - Blenheim Hotel.

Hybrid Seedlings

IN OUR endeavor to assure the Orchid-growing public of the highest quality seedlings, we have purchased the finest parent plants known whenever available. Many of our stud plants have cost from \$250 to \$750, while \$10,000 was paid for the stock of *Cattleya Mossiæ* Mrs. J. T. Butterworth, which is recognized by Orchid experts the world over as absolutely the finest *Cattleya Moosiæ* ever seen. A five-bulb division of *Sophrolaeliocattleya Radians* which we have used to make several of our crosses is valued at \$1,000, while a number of seedlings acquired through the purchase of the Roehrs Collection were developed from parent plants of equal value. We have what is probably America's most expensive commercial collection of Orchids being used to develop new hybrids which are to be offered to the public. They include *Cattleyas*, *Laeliocattleyas*, *Brassocattleyas*, *Brassolaeliocattleyas*, *Sophrocattleyas*, *Sophrolaeliocattleyas*, *Rolfearas*, *Potinaras* and a number of spray varieties which we can offer at the following prices:

	Each
1 YEAR OLD—Average 1 inch pots	\$1.00
1½ YEARS OLD—Average 1½ inch pots	2.00
2 YEARS OLD—Average 2 inch pots	3.00
3 YEARS OLD—Average 3 inch pots	5.00
4 YEARS OLD—Average 4 inch pots	7.00
5 YEARS OLD—Average 5 inch pots	8.00
5 to 6 YEARS OLD WITH SHEATHS	10.00

Special Quotations on Seedlings in Quantity

The gold medal shown here was won by Orchidwood at the 2nd National Atlantic City Flower and Garden Pageant as first prize for the group of 25 best orchids in the show. This was awarded in very close competition with another fine group of orchids in the same class.



ORDER BLANK

ORCHIDWOOD, INC.,
830 Pelhamdale Avenue,
New Rochelle, N. Y.

Gentlemen:

Kindly ship us the following:

Name _____

Address _____

